

Revision nr. 7

Dated 23/02/2022

Page n. 1/18

Printed on 16/11/2022

ALLURE

Replaced revision:6 (Printed on: 17/06/2021)

According to Annex II	Safety Dat to REACH - Regulation	2020/878 and to Annex II to UK	REACH
SECTION 1. Identification of the sub	stance/mixture a	ind of the company/un	dertaking
1.1. Product identifier Code: Product name	455149 ALLURE		
1.2. Relevant identified uses of the substance or n Identified Uses	nixture and uses advis	ed against Professional	Consumer
Paint / Coating	-	PC: 9a.	PC: 9a.
Uses Advised Against			
All uses other than painting in construction.			
1.3. Details of the supplier of the safety data sheet Name		Δ S P Δ	
Full address	Via IV Novembre, 4	А З.Г.А.	
District and Country	55016 Porcari (LU) Italia		
	Tel. 199.11.99.55		
	Fax 199.11.99.77		
a mail address of the competent person			
e-mail address of the competent person			
responsible for the Safety Data Sheet	info-sds@cromology	/.it	
1.4. Emergency telephone number For urgent inquiries refer to		oison control centre. n: Cromology Italia SpA Phone ay 9:30-12:30 14:00-17:30	e +39 05832424
SECTION 2. Hazards identification			
2.1. Classification of the substance or mixture			
The product is classified as hazardous pursuant to the supplements). The product thus requires a safety datas Any additional information concerning the risks for healt	heet that complies with	the provisions of (EU) Regulation	n 2020/878.
Hazard classification and indication: Eye irritation, category 2 Hazardous to the aquatic environment, chronic toxicity category 3	H319 y, H412	Causes serious eye irr Harmful to aquatic life	itation. with long lasting effects.
2.2. Label elements			

Vero	CROI	MOLOGY IT	ALIA S.P.A.	Revision nr. 7		
vieropaints.com				Dated 23/02/2022		
				Printed on 16/11/2022		
		ALLUR	E			
				Page n. 2/18		
				Replaced revision:6 (Printed on: 17/06/2021)		
Hazard labelling pursuant to EC Hazard pictograms:	C Regulation 1272/2008 (CLP) a	and subsequent am	endments and supplements.			
Signal words: Wa	arning					
Hazard statements:						
H412 Ha EUH211 Wa EUH208 Co 2-M	H412Harmful to aquatic life with long lasting effects.EUH211Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.					
Precautionary statements:						
P102 Ke P280 We P305+P351+P338 IF rin:	medical advice is needed, have eep out of reach of children. ear eye protection / face protecti IN EYES: Rinse cautiously with using. spose of contents/container acco	tion. water for several n	ninutes. Remove contact lenses, if	present and easy to do. Continue		
VOC (Directive 2004/42/EC) : Decorative effect coatings.						
VOC given in g/litre of product	t in a ready-to-use condition :		00.00			
Limit value:			200,00			
2.3. Other hazards						
On the basis of available data, t	the product does not contain any	y PBT or vPvB in p	ercentage ≥ than 0,1%.			
	ubstances with endocrine disrup		oncentration \geq 0.1%.			
	sition/information on i	ingredients				
3.2. Mixtures Contains:						
Identification Disotridecil Sodium sulphosuccinated	Conc. % Cl	lassification (EC)	1272/2008 (CLP)			

Viero	(CROMOLOGY ITALIA S.P.A.	Revision nr. 7
vieropaints.com			Dated 23/02/2022
-		ALLURE	Printed on 16/11/2022
			Page n. 3/18
			Replaced revision:6 (Printed on: 17/06/2021)
CAS 55184-72-0	1,409	Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chror	nic 2 H411
EC 259-515-6			
INDEX -			
REACH Reg. 01-2119970177-31- XXXX			
1,2-BENZOISOTIAZOL-3(2H)-ONE			
(BIT) CAS 2634-33-5	0,028	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H41	
EC 220-120-9		Skin Sens. 1A H317: ≥ 0,05%	
INDEX 613-088-00-6		STA Oral: 500 mg/kg	
REACH Reg. 01-2120761540-60			
DIPROPYLENE GLYCOL MONOMETHYL ETHER CAS 34590-94-8	0,027	Substance with a community workplace exposure li	imit
EC 252-104-2	0,027		
INDEX -			
REACH Reg. 01-2119450011-60- XXXX ZINC PYRITHION			
CAS 13463-41-7	0,022	Repr. 1B H360, Acute Tox. 2 H330, Acute Tox. 3 H Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1000, M=10	
EC 236-671-3		LD50 Oral: 221 mg/kg, LC50 Inhalation mists/powd	lers: 0,14 mg/l/4h
INDEX -			
Reaction mass of: 5-CHLORO- 2METHYL-2H-ISOTIA ZOL-3ONE / 2-METHYL-2H-ISOTHIAZOL-3-ONE			
(3: 1) (C (M) IT / MIT) CAS 55965-84-9	0,001	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aqu Aquatic Chronic 1 H410 M=100, EUH071, Classific Annex VI to the CLP Regulation: B	atic Acute 1 H400 M=100,
EC 611-341-5		Skin Corr. 1C H314: ≥ 0,6%, Skin Irrit. 2 H315: ≥ 0, ≥ 0,0015%, Eye Dam. 1 H318: ≥ 0,6%, Eye Irrit. 2 I	
INDEX 613-167-00-5		LD50 Oral: 66 mg/kg, LD50 Dermal: >141 mg/kg, S ppm, STA Inhalation mists/powders: 0,051 mg/l, ST 0,501 mg/l	
2-METHYL-2H-ISOTHIAZOL-3-ONE			
(MIT) CAS 2682-20-4	0,00034	Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aqu Aquatic Chronic 1 H410 M=1	
EC 220-239-6		Skin Sens. 1A H317: ≥ 0,0015%	
INDEX -		STA Oral: 100 mg/kg, STA Dermal: 300 mg/kg, ST STA Inhalation mists/powders: 0,051 mg/l, STA Inh mg/l	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.



Revision nr. 7

ALLURE

Dated 23/02/2022

Printed on 16/11/2022

Page n. 4/18

Replaced revision:6 (Printed on: 17/06/2021)

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder



Revision nr. 7

Dated 23/02/2022

Printed on 16/11/2022

ALLURE

Page n. 5/18

Replaced revision:6 (Printed on: 17/06/2021)

with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
ESP	España	Límites dore, mintendo do Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimigues en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
ITA	Italia	Decreto Legislativo 9 Aorile 2008. n.81
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea si completarea hotărârii guvernului nr. 1.093/2006
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

Disotridecil Sodium sulphosuccinated

Predicted no-effect concentration - PNEC		
Normal value in fresh water	0,0015	mg/l
Normal value in marine water	0,00015	mg/l



Revision nr. 7

ALLURE

Dated 23/02/2022

Printed on 16/11/2022

Page n. 6/18

Replaced revision:6 (Printed on: 17/06/2021)

Normal value for fresh wate	r sediment			38,38	mç	g/kg		
Normal value for marine wa	ter sediment			3,838	mç	g/kg		
Normal value for water, intermittent release			0,0196	mç	g/l			
Normal value of STP microorganisms 1,4				1,4	mç	g/I		
Health - Derived no-eff	ect level - DNEL / D	DMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				18,8 mg/kg				
Inhalation		196 mg/mc						661 mg/mc
Skin				169 mg/kg				281 mg/kg

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Туре	Country TWA/8h STEL/15min			Remarks / Observations			
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	310	50	310	50		
MAK	DEU	310	50	310	50		
VLA	ESP	308	50			SKIN	
VLEP	FRA	308	50			SKIN	
TLV	GRC	600	100	900	150		
VLEP	ITA	308	50			SKIN	
TGG	NLD	300					
VLE	PRT	308	50			SKIN	
TLV	ROU	308	50			SKIN	
WEL	GBR	308	50			SKIN	
OEL	EU	308	50			SKIN	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374). The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.



Revision nr. 7

ALLURE

Dated 23/02/2022

Printed on 16/11/2022

Page n. 7/18

Replaced revision:6 (Printed on: 17/06/2021)

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	silver	
Odour	mild	
Odour threshold	Non significativo.	
Melting point / freezing point	< 5 °C	
Initial boiling point	> 35 °C	
Flammability	not applicable	
Lower explosive limit	not applicable	
Upper explosive limit	not applicable	
Flash point Auto-ignition temperature	> 60 °C not applicable	Method:Derived
Decomposition temperature	not applicable	
рН	8,5	Method:ISO 19396-1 Concentration: 100 %
		Temperature: 20 °C
Kinematic viscosity	not available	
Dynamic viscosity	10000 mPa.s	Method:ISO 2884-1 Temperature: 20 °C
Solubility	partially soluble in water	
Partition coefficient: n-octanol/water	not applicable	
Vapour pressure	23 hPa	Substance:WATER Temperature: 20 °C

Viero	CROMOLOGY ITALIA S.P.A.		Revision nr. 7		
vieropaints.com			Dated 23/02/2022 Printed on 16/11/2022 Page n. 8/18		
		ALLURE			
			Replaced revision:6 (Printed on: 17/06/2021)		
Density and/or relative density	1,2 kg/l	Method:ISO 2811-1 Temperature: 20 °C			
Relative vapour density	>1	Method:Derived Temperature: 20 °C			
Particle characteristics	not applicable				
9.2. Other information					
9.2.1. Information with regard to phys	sical hazard classes				
Information not available					
9.2.2. Other safety characteristics					
VOC (Directive 2004/42/EC) :	100,00 g/litre				
SECTION 10. Stability and	d reactivity				
10.1. Reactivity					
There are no particular risks of reactior	with other substances in norm	nal conditions of use.			
DIPROPYLENE GLYCOL MONOMETH	HYL ETHER				
Forms peroxides with: air.					
10.2. Chemical stability					
The product is stable in normal condition	ons of use and storage.				
10.3. Possibility of hazardous reaction	ons				
No hazardous reactions are foreseeabl	e in normal conditions of use a	nd storage.			
DIPROPYLENE GLYCOL MONOMETH	HYL ETHER				
May react violently with: strong oxidisin	g agents.				
10.4. Conditions to avoid					
None in particular. However the usual p	precautions used for chemical p	products should be respected.			
DIPROPYLENE GLYCOL MONOMETH	HYL ETHER				
Avoid exposure to: sources of heat.Pos	sibility of explosion.				
10.5. Incompatible materials					
Information not available					
10.6. Hazardous decomposition proc	lucts				



ALLURE

Revision nr. 7

Dated 23/02/2022

Printed on 16/11/2022

Page n. 9/18

Replaced revision:6 (Printed on: 17/06/2021)

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

Reaction mass of: 5-CHLORO-2METHYL-2H-ISOTIA ZOL-3ONE / 2-METHYL-2H-ISOTHIAZOL-3-ONE (3: 1) (C (M) IT / MIT)

LD50 (Oral): LD50 (Dermal): 66 mg/kg Rat OECD 401 > 141 mg/kg Rat OECD 402

1,2-BENZOISOTIAZOL-3(2H)-ONE (BIT)

Vieropaints.com	CROMOLOGY ITALIA S.P.A.	
vieropaints.com		
		Dated 23/02/2022
	ALLURE	Printed on 16/11/2022
		Page n. 10/18
		Replaced revision:6 (Printed on: 17/06/2021)
STA (Oral):	500 mg/kg estimate from table 3.1.2 of Annex I of (figure used for calculation of the acute toxicity est	
2-METHYL-2H-ISOTHIAZOL-3-ONE (МІТ)	
LD50 (Oral): STA (Oral):	> 2500 mg/kg Rat (OECD 423) 100 mg/kg estimate from table 3.1.2 of Annex I of t (figure used for calculation of the acute toxicity est	the CLP imate of the mixture)
LD50 (Dermal): STA (Dermal):	> 2000 mg/kg Rat (OECD 402) 300 mg/kg estimate from table 3.1.2 of Annex I of t (figure used for calculation of the acute toxicity est	the CLP imate of the mixture)
ZINC PYRITHION		
LD50 (Oral): LC50 (Inhalation mists/powders):	221 mg/kg 0,14 mg/l/4h	
Titanium dioxide (content <1% of parti	cles with aerodynamic diameter \leq 10 µm)	
LD50 (Oral):	> 5000 mg/kg Rat, Method 425 OECD	
SKIN CORROSION / IRRITATION		
Does not meet the classification criteri	a for this hazard class	
SERIOUS EYE DAMAGE / IRRITATIO	<u>N</u>	
Causes serious eye irritation		
RESPIRATORY OR SKIN SENSITISA	TION	
May produce an allergic reaction.		
Contains: 2-METHYL-2H-ISOTHIAZOL-3-ONE (Reaction mass of: 5-CHLORO-2METH 1,2-BENZOISOTIAZOL-3(2H)-ONE (E	IYL-2H-ISOTIA ZOL-3ONE / 2-METHYL-2H-ISOTHIAZOL-3-ONE (3: 1) (C (N	И) IT / MIT)
Respiratory sensitization		
Information not available		
Skin sensitization		



ALLURE

Revision nr. 7

Dated 23/02/2022

Printed on 16/11/2022

Page n. 11/18

Replaced revision:6 (Printed on: 17/06/2021)

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs



Revision nr. 7

Dated 23/02/2022

ALLURE

Printed on 16/11/2022 Page n. 12/18

Replaced revision:6 (Printed on: 17/06/2021)

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment. **12.1. Toxicity**

Reaction mass of: 5-CHLORO-2METHYL-2H-ISOTIA ZOL-3ONE / 2-METHYL-2H-ISOTHIAZOL-3-ONE (3: 1) (C (M) IT / MIT) LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

0,22 mg/l/96h Oncorhynchus mykiss 0,0052 mg/l/48h Dafnia magna 0,048 mg/l/72h Pseudokirchnereilla subcapitata



ALLURE

Revision nr. 7

Dated 23/02/2022

Printed on 16/11/2022

Page n. 13/18

Replaced revision:6 (Printed on: 17/06/2021)

Chronic NOEC for Fish Chronic NOEC for Crustacea Chronic NOEC for Algae / Aquatic Plants

1,2-BENZOISOTIAZOL-3(2H)-ONE (BIT) LC50 - for Fish EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

ZINC PYRITHION

LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

Titanium dioxide (content <1% of particles with aerodynamic diameter \leq 10 µm) LC50 - for Fish EC50 - for Crustacea

12.2. Persistence and degradability

Reaction mass of: 5-CHLORO-2METHYL-2H-ISOTIA ZOL-3ONE / 2-METHYL-2H-ISOTHIAZOL-3-ONE (3: 1) (C (M) IT / MIT) Rapidly degradable

DIPROPYLENE GLYCOL MONOMETHYL ETHER Solubility in water

Rapidly degradable

Titanium dioxide (content <1% of particles with aerodynamic diameter \leq 10 µm) Solubility in water

Degradability: information not available

12.3. Bioaccumulative potential

Reaction mass of: 5-CHLORO-2METHYL-2H-ISOTIA ZOL-3ONE / 2-METHYL-2H-ISOTHIAZOL-3-ONE (3: 1) (C (M) IT / MIT) BCF

1,2-BENZOISOTIAZOL-3(2H)-ONE (BIT)

Partition coefficient: n-octanol/water BCF

0,098 mg/l Onchorthyncus Mykiss (OECD 210) 0,004 mg/l Daphina magna (OECD 211) 0,00064 mg/l Skeletonema costantium (ISO 10263, RAC)

1,6 mg/l/96h Oncorhynchus mykiss (OECD 203)3,27 mg/l/48h Daphnia magna (OECD 202)0,11 mg/l/72h Selenastrum capricornutum (OECD 201)

0,0104 mg/l/96h Brachydanio rerio (OECD 203) 0,051 mg/l/48h Dafnia magnia (OECD 202) 0,0013 mg/l/72h Selenastrum capricornutum (OECD 201)

> 1000 mg/l/96h

> 100 mg/l/48h Test Method 202 OECD

1000 - 10000 mg/l

< 0,001 mg/l

3,6 Calculated

0,7 n-Octanol/Water, OECD 117 6,95 Pesce (OECD 305)



Revision nr. 7

Dated 23/02/2022

ALLURE

Printed on 16/11/2022

Page n. 14/18

Replaced revision:6 (Printed on: 17/06/2021)

			·	,
2-METHYL-2H-ISOTHIAZOL-3-ONE	(MIT)			
Partition coefficient: n-octanol/water	· · ·	0,32 n-octanolo/water		
BCF		3,16		
DIPROPYLENE GLYCOL MONOME ETHER Partition coefficient: n-octanol/water	THYL	0.0043		
12.4. Mobility in soil		0,0043		
Information not available				
12.5. Results of PBT and vPvB asse	ssment			
On the basis of available data, the proc	duct does not contain any	PBT or vPvB in percentage ≥ than 0,1%.		
12.6. Endocrine disrupting propertie	es			
Based on the available data, the produ environmental effects under evaluation 12.7. Other adverse effects		ances listed in the main European lists of potential o	r suspected endocri	ne disruptors with
Information not available				
SECTION 13. Disposal co	onsiderations			

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name



Revision nr. 7

Dated 23/02/2022

ALLURE

Printed on 16/11/2022

Page n. 15/18

Replaced revision:6 (Printed on: 17/06/2021)

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

3 - 40

Contained substance

Point

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

75



Revision nr. 7

Dated 23/02/2022

Printed on 16/11/2022

ALLURE

Page n. 16/18 Replaced revision:6 (Printed on: 17/06/2021)

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

VOC (Directive 2004/42/EC) :

Decorative effect coatings.

This product contains biocidal products.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Repr. 1B	Reproductive toxicity, category 1B
Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
STOT RE 1	Specific target organ toxicity - repeated exposure, category 1
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2



ALLURE

Revision nr. 7

Dated 23/02/2022

Printed on 16/11/2022

Page n. 17/18

Replaced revision:6 (Printed on: 17/06/2021)

Skin Sens. 1A	Skin sensitization, category 1A	
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3	
H360	May damage fertility or the unborn child.	
H310	Fatal in contact with skin.	
H330	Fatal if inhaled.	
H301	Toxic if swallowed.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H317	May cause an allergic skin reaction.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.	

Use descriptor system:

	-	
PC	9a	Coatings and paints, thinners, paint removers

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation WGK: Water hazard classes (German).



ALLURE

Revision nr. 7

Dated 23/02/2022

Printed on 16/11/2022

Page n 18/18

Replaced revision:6 (Printed on: 17/06/2021)

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.